


















Powder Paint Details

METCASE - STOCKED POWDER PAINTS								
* Colour swatches for guide only								
Colour Desc	*	RAL Ref	Alt Colour Ref	Powder type	Cromadex Ref	Technical Name	Stoving Details	Matl Safety Data Sheet
Off-white		9002		Epoxy polyester fine texture	ED352F	Interpon 700	10 mins @ 180C	PC010
Light Grey		Colour matched	BS4800 00-A-01	Polyester texture	EI319E	Interpon 610	10 mins @ 200C	PC010
Silver Metallic		9006		Micaceous polyester	SW163D	Interpon D36 Satin (70)	10-15 mins @ 180C	PC111
Light Grey		7035		Epoxy polyester fine texture	EL380E	Interpon 700	10 mins @ 180C	PC010
Light Grey		7035		Polyester matt smooth	MI243E	Interpon 610	10 mins @ 200C	PC010
Light Grey		7035		Polyester leatherette	OL435E	Interpon 610	10 mins @ 200C	PC010
Metalic Aluminium		N/A		Gloss Polyester	MW500I	Interpon 610	10 mins @ 200C	PC010
Mid Grey		Colour matched	BS4800 00-A-05	Polyester texture	EI314E	Interpon 610	10 mins @ 200C	PC010
Window Grey		7040		Epoxy polyester fine texture	EI351E	Interpon 700	10 mins @ 180C	PC010
Window Grey		7040		Gloss Polyester	ML640E	Interpon 610	10 mins @ 180C	PC010
Dusty Grey		7037		Polyester leatherette	WLJ11X	Interpon 610	10 mins @ 200C	PC010
Metallic Silver		9007		Polyester metallic Matt	AE2021-7068521 (Dupont)	Grey 0097-7831	12 mins @ 190C	Dupont Specific
Anthracite		7016		Polyester fine texture	MI359E	Interpon 610	10 mins @ 200C	PC010
Black		9005		Smooth Semi-Gloss	MN166E	Interpon 610	10 mins @ 200C	PC010
Black		9005		Polyester fine texture	MNA03E	Interpon 610	10 mins @ 200C	PC010
Black		N/A	Black (no ref)	Epoxy fine texture	BN309E	Interpon 100	10 mins @ 180C	PC010
Black		9011		Polyester satin semi gloss	MN711E	Interpon 610	10 mins @ 200C	PC010
Pidgeon Blue		5014		Polyester matt (30+/- 5%)	MJ814E	Interpon TC	10 mins @ 200C	PC111
Pale Blue		N/A	Pantone P301U	Epoxy polyester fine texture	EQ301E	Interpon 700	10 mins @ 180C	PC010
Dark Blue		N/A	Pantone 295	Polyester fine texture	MQ3A8E	Interpon 610	10 mins @ 200C	PC010
Dark Blue		5003		Fine texture	SJA03F	Interpon 610	10 mins @ 200C	PC010
Pillar Box Red		3002		Polyester matt smooth	MG802E	Interpon 610	10 mins @ 200C	PC010
Traffic Yellow		1023		Smooth Gloss	ME623E	Interpon 610	10 mins @ 200C	PC010
Pure White		9010		Fine texture	SAA10F	Interpon 610	10 mins @ 200C	PC010