



**MET** case™

Electronic Enclosures



## ENCLOSURE FEET

Universal feet for metal and plastic enclosures





## Technofeet

Stylish and modern feet kits with or without tilt legs for canting the enclosure. Suitable for fitting to any type of plastic or metal enclosure with a panel thickness up to 0.118" (alternative screws can be supplied for larger panel thicknesses). Simply drill three holes per foot in the enclosure.

### Kit 1 (without tilt legs) supply:



- Foot molding (x4),
- TPE non-slip insert (x4)
- Self-tapping screw (x4)

### Kit 2 (with tilt legs) supply:


- Foot molding (x4)
- Tilt leg (x2)
- TPE non-slip insert (x4)
- Self-tapping screw (x4)

### Standard colors:



- Light gray RAL 7035
- Traffic gray A RAL 7042
- Anthracite RAL 7016
- Black RAL 9005




Kit 1



### Case mounting holes



Kit 2



Part No.	Kit	Supply	Colors
<b>M 64 20 104</b>	1	①+②+③ x 4	● RAL 7016
<b>M 64 20 105</b>	1	①+②+③ x 4	● RAL 7035
<b>M 64 20 106</b>	1	①+②+③ x 4	● RAL 7042
<b>M 64 20 109</b>	1	①+②+③ x 4	● RAL 9005
<b>M 64 20 204</b>	2	③+④+⑤ x 4 + ⑥ x 2	● RAL 7016
<b>M 64 20 205</b>	2	③+④+⑤ x 4 + ⑥ x 2	● RAL 7035
<b>M 64 20 206</b>	2	③+④+⑤ x 4 + ⑥ x 2	● RAL 7042
<b>M 64 20 209</b>	2	③+④+⑤ x 4 + ⑥ x 2	● RAL 9005



## Enclosure Feet



Universal feet kits with or without tilt legs for canting the enclosure. Suitable for fitting to any type of plastic or metal enclosure with a panel thickness up to 0.157". Simply drill three holes per foot in the enclosure.

### Kit 1 (without tilt legs) supply:

- Foot molding (x4),
- TPE non-slip insert (x4)
- Self-tapping screw (x4)

### Kit 2 (with tilt legs) supply:

- Foot molding (x4)
- Tilt leg (x2)
- TPE non-slip insert (x4)
- Self-tapping screw (x4)





Kit 1

### Standard colors:

- Off-white RAL 9002
- Light gray RAL 7035
- Black RAL 9005



### Case mounting holes



Kit 2

Part No.	Kit	Supply	Colors
<b>M 92 57 107</b>	1	①+②+③ x 4	○ RAL 9002
<b>M 56 00 015</b>	1	①+②+③ x 4	○ RAL 7035
<b>M 56 00 019</b>	1	①+②+③ x 4	● RAL 9005
<b>M 92 57 207</b>	2	①+②+③ x 4 + ④ x 2	○ RAL 9002
<b>M 56 00 045</b>	2	①+②+③ x 4 + ④ x 2	○ RAL 7035
<b>M 56 00 049</b>	2	①+②+③ x 4 + ④ x 2	● RAL 9005

## Rubber Foot


Push-in gray rubber non-slip foot for fitting to any metal or plastic enclosures with a panel thickness of up to 0.8". Drill hole Ø0.28" mm in panel to fit.

### Supply:

- 1 rubber foot

### Part No.

**M 54 03 002**



# METcase™

## MANUFACTURER

Metcase Enclosures  
A division of:  
OKW Enclosures Ltd.  
15 Brunel Way  
Segensworth East  
Fareham, Hampshire  
PO15 5TX  
United Kingdom

Telephone: +44 (0) 1489 583858  
Email: [sales@metcase.co.uk](mailto:sales@metcase.co.uk)  
Website: [www.metcase.co.uk](http://www.metcase.co.uk)

© OKW Enclosures Ltd. All rights reserved  
Catalog Edition 1.1 – March 2026.  
This catalog will be valid until 31/12/2027.  
Subject to technical modifications without notice.  
Typographical and other errors do not justify any  
claim for damages.  
Digital Version: 03/2026e

## Presented by:



**OKW Enclosures, Inc.**  
3000 Old Pond Road,  
Bridgeville, PA 15017  
Phone: (412) 220 9244  
Toll Free: (800) 965 9872  
Email: [sales@metcaseusa.com](mailto:sales@metcaseusa.com)

[www.metcaseusa.com](http://www.metcaseusa.com)